

# 1019 -

6 (2) A 250 ( )



> 3

|     |                            |
|-----|----------------------------|
|     | 20E4                       |
| ( ) | < 100 (1 A 12 )            |
| ( ) | > 100 (500 )               |
|     | 250 PTI                    |
|     | -40 °C ... +85 °C          |
|     | UL 94 HB ( , : V-0, : V-2) |
|     | 850 °C                     |
|     | PA, /PAPA,                 |
| > 3 |                            |
|     | / 4 / ( ) /                |
|     | II                         |






SLIDE

|   |                       |                     |   |    |           |          |     |     |      |   |  |   |
|---|-----------------------|---------------------|---|----|-----------|----------|-----|-----|------|---|--|---|
|  | 6 (2) A 250 ( . ) 1E4 | 5 A 125 - 250 ( . ) |   |    |           |          |     |     | (FP) | (TP)  |  |   |
| <b>(SPNC)</b>   |                       |                     |   |    |           |          |     |     |      |   |  |   |
| <b>1019.3101</b>  | *                     |                     |  2.8   | Ag | 0.9 - 1.7 | 6.3 ±0.8 | 2.4 | 1   | 10.5 |    |  |   |
| <b>1019.5501</b>  | *                     | *                   |  2.8   | Ag | 0.9 - 1.7 | 6.3 ±0.8 | 2.4 | 1   | 10.5 |    |  |   |
| <b>1019.5601</b>  | *                     | *                   |  2.8   | Ag | 1.5 - 3   | 2.4 ±0.6 | 1.2 | 4.7 | 0    |    |  | * |
| <b>(SPNO)</b>   |                       |                     |   |    |           |          |     |     |      |   |  |   |
| <b>1019.0101</b>  | *                     |                     |  2.8   | Ag | 1.5 - 3   | 2.4 ±0.6 | 1.2 | 4.7 | 0.5  |    |  |   |
| <b>1019.0201</b>  | *                     |                     |  2.8   | Ag | 1.5 - 3   | 2.4 ±0.6 | 1.2 | 4.7 | 0.5  |    |  |   |
| <b>1019.0301</b>  | *                     |                     |  2.8  | Ag | 1.5 - 3   | 2.4 ±0.6 | 1.2 | 4.7 | 0.5  |   |  |   |
| <b>1019.2101</b>  | *                     |                     |  2.8 | Ag | 0.9 - 1.7 | 6.3 ±0.8 | 2.4 | 1   | 10.5 |  |  | * |
| <b>1019.5101</b>  | *                     | *                   |  2.8 | Ag | 1.5 - 3   | 2.4 ±0.6 | 1.2 | 4.7 | 0    |  |  | * |
| <b>1019.5401</b>  | *                     | *                   |  2.8 | Ag | 0.9 - 1.7 | 6.3 ±0.8 | 2.4 | 1   | 10.5 |  |  |   |



www.peter32.com  
(812)

WWW.MARQUARDT-SWITCHES.COM







2,8 x .0,8



2,8 x .0,8



2,8 x .0,8



2,8 x .0,8