



Ультразвуковой датчик скорости и направления ветра

Артикул S-WCG-M003



	Скорость / порыв ветра	Направление ветра
Диапазон	От 0 до 41.16м/с	От 0 до 359 градусов
Точность	±0.8 м/с или ±4% от измеренного значения	от 0.2 до 3 м/с: ±4 градуса >3 м/с: ±2 градуса
Разрешение	0.4 м/с	1 градус
Рабочая температура	От -15°C до 55°C	
Материал корпуса	Polyacetal	
Вес	200 г	
Питание	Фотопанель, LIFEP04 3.2 V -600 мАч	
Число каналов данных	3	



1-800-LOGGERS



[Contact](#) | [News & Events](#) | [Catalog](#) | [Privacy Policy](#)

Onset Computer Corporation
470 MacArthur Blvd.
Bourne, MA 02532

[▶ Product Suggestions](#)

[▶ Newsletter Signup](#)



Resources

[Data Loggers](#)

[Upcoming Webinars](#)

[External Sensors](#)

[Quick Order](#)

[Software](#)

[Application Stories](#)

[Software Updates](#)

[Webinars](#)

[Manuals](#)

[White Papers](#)

[User Forum](#)

[Ordering Information](#)

[Knowledge Base](#)

[Account Login](#)

Onset®, HOB0®, StowAway®, StowAway® TidbiT®, Optic Shuttle®, Optic Base Station®, Optic Coupler®, Tattletale®, LogBook®, BoxCar®, HandCar™, HOB0ware®, InTemp®, HOB0link™, HOB0mobile™, FlexSmart™, Pendant™, and other names of Onset products referenced herein are trademarks or registered trademarks of Onset Computer Corporation. © 1995-2018 Onset Computer Corporation. All rights reserved.